


S812HB

Slot Drill



d ₁ R mm	Ch ±0.03x45° mm	d ₂ R _{h6} mm	l ₂ mm	l ₁ mm	z	e-code	AUD
2.00	0.00	6	6	57	2	S812HB2.0	55,00
2.50	0.08	6	7	57	2	S812HB2.5	58,50
3.00	0.08	6	7	57	2	S812HB3.0	55,00
3.50	0.08	6	7	57	2	S812HB3.5	61,50
4.00	0.13	6	8	57	2	S812HB4.0	60,00
4.50	0.13	6	8	57	2	S812HB4.5	67,50
5.00	0.13	6	10	57	2	S812HB5.0	61,50
6.00	0.13	6	10	57	2	S812HB6.0	61,50
7.00	0.13	8	13	63	2	S812HB7.0	92,00
8.00	0.20	8	16	63	2	S812HB8.0	1) 86,00
9.00	0.20	10	16	72	2	S812HB9.0	1) 123,00
10.00	0.20	10	19	72	2	S812HB10.0	1) 114,00
12.00	0.20	12	22	83	2	S812HB12.0	1) 157,00
14.00	0.20	14	22	83	2	S812HB14.0	1) 196,00
16.00	0.20	16	26	92	2	S812HB16.0	1) 258,00
18.00	0.20	18	26	92	2	S812HB18.0	1) 331,00
20.00	0.30	20	32	104	2	S812HB20.0	1) 399,00

¹⁾Ch ±0.05x45° mm